# Lev by Knoll

Price List July 2024



# Lev by Knoll

# **Table of Contents**

# Introduction

Lev Finish Options	. 1
Base Types and Height Ranges Specifications	. 3
Lev by Knoll	
Standard and Extended Electric	. 4
Accessories	. 8
Antenna Workspaces Worksurfaces	. 9
Reff Profiles Worksurfaces	. 11
Dividends Horizon Worksurfaces	13
Postform Worksurfaces	. 15
AutoStrada Worksurfaces	. 16
Alpha Numeric Index	
Alpha Numeric Index	. 17
Selling Policy	
Selling Policy	. 18
General Ordering Information	. 20

# Lev by Knoll Paint Finish

- (98) Studio White
- (613) Silver
- (8Q) Folkstone
- (611) Beige Mist Metallic
- (UBK) Ultra Black

# **Wood Finishes**

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code V1 TE	CHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638 Blond	Maple	647	White Pine	039	Pippy Oak *
628 Dark I	Mahogany	640	Ebony	044	Figured Sycamore
639 Light	Cherry	642	Grigio		
<ul> <li>513 Mediu</li> <li>514 Espres</li> <li>637 Natura</li> </ul>	7 m Walnut m Teak sso al Walnut	020 038 017 002 006 021 022	V2 NATURAL VENEER  Natural Oak Rustic Walnut * Light Walnut Bronze Cherry Maple Peacock Green Walnut Old English Walnut		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
В	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
		0 5
D	Low Gloss	Open Pore
$\mathbf{E}$	Medium Gloss	Open Pore
F	High Gloss	Open Pore

# **Edge Options for Veneers**

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

<sup>\*</sup> Ply Edge available on Birch (037) worksurfaces.

# \*Note:

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

<sup>-</sup>Synthetic Edge option is available on work surfaces, only.

<sup>-</sup>Finishes with  $\ast$  are available on work surfaces only.

# **Laminate Finishes**

# Core Laminate Surface / Edge

- Q8 Folkstone (CP) 91 White (CP) 98 Studio White (CP) Jet Black \*\* ++ 111 Folkstone Grey \*\* ++ 114 Medium Grey \*\* 115 Soft Grey \*\* ++ 117 118 Bright White \*\* @ 119 Pumice \*\* 122 Brushed Sand \* ++ 123 Brushed Grey \* ++ 129 Micro Sand \* ++ WLWarm Stone (CP)
- \*\*Melamine worksurface finish.
  Worksurfaces manufactured in
  Melamine are available in High
  Pressure Laminate at a 15%
  upcharge. Other products are also
  available in High Pressure Laminate
  and would need to be quoted
  separately.

Note: All core Laminate worksurfaces are available with matching and non matching edges. ie; A worksurface in 119 can have 139 edge finish.

Note: For Reff Profiles, AutoStrada and Antenna you can choose from V1, V2 and V3, For Dividends Horizon You can choose from V1 only.

Please refer to individual price lists for detailed information on finish options.

# Wood Grain Laminates Surface / Edge

124

Medium Cherry \*\* ++

- 125 Natural Maple\*\* (CP) 126 Natural Cherry \*\* (CP) 127 Walnut\*\* (CP) Light Ash\*\* (CP) 139 Warm Ash\*\*(CP) 140 141 Whitened Ash\*\* Grey Ash\*\* 142 143 Classic Oak\*\* Graphite Pear\*\* 144 147 Silverwood\*\* ++ Smokewood\*\* ++ 148 149 Barnwood\*\* ++ LBA Clear on Ash \*\* (CP) Oak on Ash \*\* (CP) LBB Walnut on Ash \*\* (CP) LBC LBU Medium Matte Walnut \*\* (CP)
  - Additional Edge Options for

Laminate worksurfaces (only):
WPLY Ply Edge - Wood (V1
Pricing)
SPLY Ply edge - Synthetic (L

SPLY Ply edge - Synthetic (L Pricing)

# Impact Resistant Laminate Core & Wood Grain Laminates Surface - Edge

Jet Black 911 914 Folkstone Grey ++ 917 Soft Grey Bright White @ 918 919 Pumice 924 Medium Cherry ++ 925 Natual Maple 926 Natural Cherry

Walnut (CP)

Note: The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates. 25% Upcharge applies to te laminate pricing for the Impact Resistant Laminates.

## Note:

927

@ = Limited Availability++ = Discontinued May 2025CP = Central Palette

# Lev by Knoll Standard and Extended Electric Base Types and Height Ranges Specifications

Lev by Knoll is available in Electric or Extended Electric base styles only. Lev bases are adjusted with button controls mounted along the front edge of the top. The Lev Digital Switch includes Up and Down buttons, four programmable presets, and digital read out. The Lev Digital Switch offers the ability to program an upper and lower limit to prevent collisions with objects above or under the table.

Base Type	Lev by Knoll Standard Electric	Lev by Knoll Extended Electric
Height Range	28" - 46.5"	22.5 - 48.7"
Adjustment	1-2" per second	1-2" per second
Load Capacity	225 lbs	225 lbs

 $<sup>*</sup>Height\ ranges\ shown\ include\ top\ thickness$ 

When planning with storage or other objects under the table, account for  $2\frac{1}{2}$ " of base structure. Do not specify items that interfere with the travel of the table.

Casters raise the overall height of the table 2 1/2".

# Standard and Extended Electric Standard Adjustable Width Base

description	type	width	d*	pattern number	list
Standard Electric 24" Deep C-Leg base on Glides with Standard Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	24"	LVBCEN24GS	\$1,075.
Standard Electric 24" Deep C-Leg base on Glides with Digital Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	24"	LVBCEN24GD	\$1,125.
Standard Electric 30" Deep C-Leg base on Glides with Standard Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	30"	LVBCEN30GS	\$1,075.

Example LVBCEN24GS LV Lev by Knoll Base Finish Available in fully painted Ultra B Base Black (UBK), Studio White (98), Silver (613), Folkstone (8Q), and Beige Mist Metallic (611)  E Standard Height Range N N Ocrossbeam 24 24* Deep G Glides Base Finish Available in fully painted Ultra Black (UBK), Studio White (98), Silver (613), Folkstone (8Q), and Beige Mist Metallic (611) Lev worksurfaces at the widest possible position. Lev worksurfaces at the widest position.	
S Standard Switch planning guide chart titled "Leg Placement with No Crossbeam".	When Planning with objects like storage under the table, use Digital Switch to . program lower limit to prevent collisions.

# Standard and Extended Electric Standard Adjustable Width Base

description	type	width	d*	pattern number	list
Standard Electric 30" Deep C-Leg base on Glides with Digital Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	30"	LVBCEN30GD	\$1,125.



Order Code		Specification Information	Application Notes
Example LV B C E N 24 G	LVBCEN24GS Lev by Knoll Base C Leg Standard Height Range No Crossbeam 24" Deep Glides Standard Switch	Base Finish Available in fully painted Ultra Black (UBK), Studio White (98), Silver (613), Folkstone (8Q), and Beige Mist Metallic (611)	Bases are designed for use with Lev worksurfaces. Pre-drilled holes are provided in Lev worksurfaces at the widest possible position.  Base comes with worksurface mounting hardware.  Legs can be mounted at any width so long as it falls within the parameters defined in the planning guide chart titled "Leg Placement with No Crossbeam".
d* = Nominal	depth		

# Standard and Extended Electric Extended Adjustable Width Base

description	type	width	d*	pattern number	list
Extended Electric 24" Deep C-Leg base on Glides with Standard Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	24"	LVBCEXN24GS	\$1,350.
Extended Electric 24" Deep C-Leg base on Glides with Digital Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	24"	LVBCEXN24GD	\$1,400.
	_				
Extended Electric 30" Deep C-Leg base on Glides with Standard Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	30"	LVBCEXN30GS	\$1,350.

Order Code		Specification Information	Application Notes
Example LV B C EX	LVBCEXN24GS Lev by Knoll Base C Leg	Base Finish Available in fully painted Ultra Black (UBK), Studio White (98), Silver (613), Folkstone (8Q), and Beige Mist Metallic (611)	Bases are designed for use with Lev worksurfaces. Pre-drilled holes are provided in Lev worksurfaces at the widest possible position.  When Planning with objects like storage under the table, use Digital Switch to program lower limit to prevent collisions.
N 24 G S	Extended Height Range No Crossbeam 24* Deep Glides Standard Switch	Base comes with worksurface mounting hardware.  Legs can be mounted at any width so long as it falls within the parameters defined in the planning guide chart titled "Leg Placement with No Crossbeam".	
d* = Nominal	depth		

# Standard and Extended Electric Extended Adjustable Width Base

description	type	width	d*	pattern number	list
Extended Electric 30" Deep C-Leg base on Glides with Digital Switch	Adjustable-width base for use with tops 42"-84"w	35"-56"	30"	LVBCEXN30GD	\$1,400.

Order Code		Specification Information	Application Notes					
Example	LVBCEXN24GS							
LV	Lev by Knoll	Base Finish Available in fully painted Ultra	Bases are designed for use with Lev When Planning with objects like storage					
В	Base	Black (UBK), Studio White (98), Silver (613), Folkstone (8Q), and Beige Mist Metallic (611)	worksurfaces. Pre-drilled holes are provided in under the table, use Digital Switch to Lev worksurfaces at the widest possible position. program lower limit to prevent collisions.					
С	C Leg	Folkstorie (6Q), and beige Mist Metallic (611)	Lev worksurfaces at the widest possible position, program lower limit to prevent comsion					
EX	Extended Height Range							
N	No Crossbeam							
24	24" Deep		Base comes with worksurface mounting					
G	Glides		hardware.					
S	Standard Switch		Legs can be mounted at any width so long as it					
			falls within the parameters defined in the					
			planning guide chart titled "Leg Placement with					
			No Crossbeam".					
d* = Nominal	depth							

description	type	w	pattern number	list
Lev Adjustable Width Crossbeam Kit	For use with 48"-84"w tops	41"-66"	LVACBK	\$50.
Lev Gyroscopic Collision Detection Kit	For use with all Lev by Knoll Height Adjustable Table Bases		LVAGCD	\$50.

Order Code		Specification Information
Example LV A CBK	LVACBK Lev by Knoll Accessory Crossbeam Kit	Specify Adjustable Width Crossbeam Kit in Ultra Black (UBK), Studio White (98), Silver (613), Folkstone (8Q), and Beige Mist Metallic (611)

# Antenna Workspaces Worksurfaces Rectangular Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	W*	width	depth	thickness	pattern number	laminate (	(L) M/V1	V2(V)	V3(V)
Antenna Rectangular C-Leg Tops,	for 24"d C-Leg Base	48"	45"	24"	1 1/4"	LVTYR4524	\$362.	\$623.	\$717.	\$971.
24" deep	for 24"d C-Leg Base	54"	51"	24"	1 1/4"	LVTYR5124	\$392.	\$665.	\$766.	\$1,034.
^	for 24"d C-Leg Base	60"	57"	24"	1 1/4"	LVTYR5724	\$423.	\$708.	\$817.	\$1,102.
	for 24"d C-Leg Base	66"	63"	24"	1 1/4"	LVTYR6324	\$456.	\$738.	\$848.	\$1,145.
	for 24"d C-Leg Base	72"	69"	24"	1 1/4"	LVTYR6924	\$476.	\$765.	\$882.	\$1,189.
	for 24"d C-Leg Base	78"	75"	24"	1 1/4"	LVTYR7524	\$514.	\$801.	\$924.	\$1,244.
	for 24"d C-Leg Base	84"	81"	24"	1 1/4"	LVTYR8124	\$555.	\$850.	\$970.	\$1,308.
Antenna Rectangular C-Leg Tops,	for 30"d C-Leg Base	48"	45"	30"	1 1/4"	LVTYR4530	\$423.	\$703.	\$810.	\$1,089.
30" deep	for 30"d C-Leg Base	54"	51"	30"	1 1/4"	LVTYR5130	\$481.	\$745.	\$855.	\$1,155.
	for 30"d C-Leg Base	60"	57"	30"	1 1/4"	LVTYR5730	\$527.	\$786.	\$902.	\$1,223.
	for 30"d C-Leg Base	66"	63"	30"	1 1/4"	LVTYR6330	\$591.	\$801.	\$924.	\$1,244.
/ >	for 30"d C-Leg Base	72"	69"	30"	1 1/4"	LVTYR6930	\$610.	\$829.	\$954.	\$1,290.
	for 30"d C-Leg Base	78"	75"	30"	1 1/4"	LVTYR7530	\$653.	\$865.	\$991.	\$1,342.
	for 30"d C-Leg Base	84"	81"	30"	1 1/4"	LVTYR8130	\$699.	\$899.	\$1,031.	\$1,411.

Order Code		Specification Information	Application Notes	Options
Example	LVTYR4524, L, 117, 117	Antenna Tops		
LVT	Lev by Knoll Top	To order, specify:	Antenna Tops	Antenna Tops
Y R	Antenna Style Rectangular Top	1. Pattern number 2. Top finish		Top Finish Options:
45	Width	Edge finish (laminate and mixed tops only)	Worksurfaces are pre-drilled with pilot holes for	
24	Depth		use with wood screws.	or (M) for mixed (laminate with wood edge) suffix
L	Laminate		Actual worksurfaces are undersized by 1 1/2"	to pattern number.
117	Soft Grey Laminate		on each side edge.	
117	Soft Grey Edge		· ·	
			Note: * Nominal Width	

# Antenna Workspaces Worksurfaces Rectangular Radiused Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	W*	width	depth	thickness	pattern number	laminate (L	) M/V1	V2(V)	V3(V)
Antenna Rectangular Radiused	for 24"d C-Leg Base	48"	45"	24"	1 1/4"	LVTYRC4524	\$445.	\$768.	\$885.	\$1,198.
C-Leg Tops, 24" deep	for 24"d C-Leg Base	54"	51"	24"	1 1/4"	LVTYRC5124	\$484.	\$820.	\$943.	\$1,276.
	for 24"d C-Leg Base	60"	57"	24"	1 1/4"	LVTYRC5724	\$521.	\$872.	\$1,007.	\$1,359.
	for 24"d C-Leg Base	66"	63"	24"	1 1/4"	LVTYRC6324	\$563.	\$909.	\$1,045.	\$1,412.
	for 24"d C-Leg Base	72"	69"	24"	1 1/4"	LVTYRC6924	\$585.	\$942.	\$1,089.	\$1,467.
	for 24"d C-Leg Base	78"	75"	24"	1 1/4"	LVTYRC7524	\$632.	\$988.	\$1,137.	\$1,535.
	for 24"d C-Leg Base	84"	81"	24"	1 1/4"	LVTYRC8124	\$676.	\$1,037.	\$1,191.	\$1,605.
Antenna Rectangular Radiused	for 30"d C-Leg Base	48"	45"	30"	1 1/4"	LVTYRC4530	\$521.	\$866.	\$997.	\$1,342.
C-Leg Tops, 30" deep	for 30"d C-Leg Base	54"	51"	30"	1 1/4"	LVTYRC5130	\$591.	\$918.	\$1,056.	\$1,423.
	for 30"d C-Leg Base	60"	57"	30"	1 1/4"	LVTYRC5730	\$652.	\$969.	\$1,114.	\$1,506.
	for 30"d C-Leg Base	66"	63"	30"	1 1/4"	LVTYRC6330	\$727.	\$988.	\$1,114.	\$1,535.
	for 30"d C-Leg Base	72"	69"	30"	1 1/4"	LVTYRC6930	\$752.	\$1,020.	\$1,175.	\$1,589.
	for 30"d C-Leg Base	78"	75"	30"	1 1/4"	LVTYRC7530	\$804.	\$1,078.	\$1,222.	\$1,655.
	for 30"d C-Leg Base	84"	81"	30"	1 1/4"	LVTYRC8130	\$861.	\$1,113.	\$1,260.	\$1,717.

Order Code		Specification Information	Application Notes	Options
Example LVT	LVTYRC4524, L, 117, 117 Lev by Knoll Top	Antenna Tops To order, specify:	Antenna Tops	Antenna Tops
Y RC	Antenna Style Rectangular Radiused Top	1. Pattern number 2. Top finish	Worksurfaces are pre-drilled with pilot holes for use with wood screws.	Top Finish Options:
45 24 L	Width Depth Laminate	3. Edge finish (laminate and mixed tops only)	Actual worksurfaces are undersized by 1 1/2" on each side edge.	Add an (L) for laminate, (V) for veneer suffix, or (M) for mixed (laminate with wood edge) suffix to pattern number.
117 117	Soft Grey Laminate Soft Grey Edge		Note: * Nominal Width	Veneer available with synthetic edge only.

# Reff Profiles Worksurfaces Rectangular Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	w*	width	d*	depth	thickness	pattern number	laminate	(L <b>)</b> M/V1	V2(V)	V3(V)
Reff Profiles Rectangular C-Leg	for 24"d C-Leg Base	48"	46"	24"	23"	1 1/4"	LVTRR4623N	\$541.	\$587.	\$674.	\$909.
Tops, 24" deep	for 24"d C-Leg Base	54"	52"	24"	23"	1 1/4"	LVTRR5223N	\$579.	\$625.	\$718.	\$969.
^	for 24"d C-Leg Base	60"	58"	24"	23"	1 1/4"	LVTRR5823N	\$627.	\$670.	\$767.	\$1,038.
	for 24"d C-Leg Base	66"	64"	24"	23"	1 1/4"	LVTRR6423N	\$641.	\$689.	\$795.	\$1,072.
	for 24"d C-Leg Base	72"	70"	24"	23"	1 1/4"	LVTRR7023N	\$675.	\$721.	\$833.	\$1,125.
	for 24"d C-Leg Base	78"	76"	24"	23"	1 1/4"	LVTRR7623N	\$704.	\$755.	\$874.	\$1,175.
	for 24"d C-Leg Base	84"	82"	24"	23"	1 1/4"	LVTRR8223N	\$739.	\$793.	\$918.	\$1,234.
Reff Profiles Rectangular C-Leg Tops, 30" deep	for 30"d C-Leg Base	48" 54"	46" 52"	30" 30"	29" 29"	1 1/4"	LVTRR4629N LVTRR5229N		\$659.	\$756.	\$1,021.
Tops, 30 deep	for 30"d C-Leg Base for 30"d C-Leg Base	60"	52 58"	30"	29"	1 1/4" 1 1/4"	LVTRR5829N		\$715.	\$816. \$846.	\$1,102. \$1,145.
	for 30"d C-Leg Base	66"	64"	30"	29"	1 1/4	LVTRR6429N		\$738.		\$1,175.
	for 30"d C-Leg Base	72"	70"	30"	29"	1 1/4	LVTRR7029N		\$754.	\$873.	\$1,175.
	for 30"d C-Leg Base	72 78"	76"	30"	29"	1 1/4	LVTRR7629N		\$774. \$809.	\$886. \$931.	\$1,199.
	for 30"d C-Leg Base	84"	82"	30"	29"	1 1/4"	LVTRR8229N		\$840.	\$968.	\$1,255.

Order Code		Specification Information	Application Notes	Options
Example	LVTRR4623N, L, 117, 117	- 4- 44 -		
LVT	Lev by Knoll Top	Reff Profiles Tops	D-# D#1 T	D-# D#1 T
R	Reff Profiles Style	To order, specify:	Reff Profiles Tops	Reff Profiles Tops
R	Rectangular Top	1. Pattern number	Worksurfaces are pre-drilled with pilot holes for	Top Finish Options:
46	Width	2. Top finish	use with wood screws.	
23	Depth	<ol><li>Edge finish (laminate and mixed tops only)</li></ol>		Add an (L) for laminate, (V) for veneer suffix,
N	No Grommet		Actual worksurfaces are undersized by 1" on	or (M) for mixed (laminate with wood edge) suffix
L	Laminate		the back side and 1" on each side edge.	to pattern number.
117	Soft Grey Laminate		Note: * Nominal Width and Depth	
117	Soft Grey Edge			

# Reff Profiles Worksurfaces Rectangular Radiused Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	W*	width	d*	depth	thickness	s pattern number	laminate	(LI)M/V1	V2(V)	V3(V)
Reff Profiles Rectangular Radiused	for 24"d C-Leg Base	48"	46"	24"	23"	1 1/4"	LVTRRC4623N	\$654.	\$710.	\$814.	\$1,097.
C-Leg Tops, 24" deep	for 24"d C-Leg Base	54"	52"	24"	23"	1 1/4"	LVTRRC5223N	\$700.	\$755.	\$870.	\$1,172.
-	for 24"d C-Leg Base	60"	58"	24"	23"	1 1/4"	LVTRRC5823N	\$758.	\$811.	\$926.	\$1,254.
	for 24"d C-Leg Base	66"	64"	24"	23"	1 1/4"	LVTRRC6423N	\$776.	\$834.	\$961.	\$1,296.
	for 24"d C-Leg Base	72"	70"	24"	23"	1 1/4"	LVTRRC7023N	\$817.	\$872.	\$1,006.	\$1,359.
	for 24"d C-Leg Base	78"	76"	24"	23"	1 1/4"	LVTRRC7623N	\$852.	\$913.	\$1,057.	\$1,421.
	for 24"d C-Leg Base	84"	82"	24"	23"	1 1/4"	LVTRRC8223N	\$896.	\$954.	\$1,105.	\$1,489.
Reff Profiles Rectangular Radiused	for 30"d C-Leg Base	48"	46"	30"	29"	1 1/4"	LVTRRC4629N	\$744.	\$797.	\$914.	\$1,237.
C-Leg Tops, 30" deep	for 30"d C-Leg Base	54"	52"	30"	29"	1 1/4"	LVTRRC5229N	\$806.	\$864.	\$989.	\$1,333.
	for 30"d C-Leg Base	60"	58"	30"	29"	1 1/4"	LVTRRC5829N	\$834.	\$892.	\$1,024.	\$1,384.
	for 30"d C-Leg Base	66"	64"	30"	29"	1 1/4"	LVTRRC6429N	\$848.	\$912.	\$1,056.	\$1,418.
	for 30"d C-Leg Base	72"	70"	30"	29"	1 1/4"	LVTRRC7029N	\$874.	\$936.	\$1,073.	\$1,448.
	for 30"d C-Leg Base	78"	76"	30"	29"	1 1/4"	LVTRRC7629N	\$915.	\$978.	\$1,127.	\$1,518.
	for 30"d C-Leg Base	84"	82"	30"	29"	1 1/4"	LVTRRC8229N	\$944.	\$1,010.	\$1,165.	\$1,569.

Order Code		Specification Information	Application Notes	Options
Example LVT R RC 46 23 N L 117	LVTRRC4623N, L, 117, 117 Lev by Knoll Top Reff Profiles Style Rectangular Radiuised Top Width Depth No Grommet Laminate Soft Grey Laminate Soft Grey Edge	Reff Profiles Tops  To order, specify: 1. Pattern number 2. Top finish 3. Edge finish (laminate and mixed tops only)	Reff Profiles Tops  Worksurfaces are pre-drilled with pilot holes for use with wood screws.  Actual worksurfaces are undersized by 1" on the back side and 1" on each side edge.  Note: * Nominal Width and Depth	Reff Profiles Tops or Top Finish Options:  Add an (L) for laminate, (V) for veneer suffix, or (M) for mixed (laminate with wood edge) suffix to pattern number.

# Dividends Horizon Worksurfaces Rectangular Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	w*	width	d*	depth	thickness	pattern number	Laminate wa ABS edge	, Laminate w woodgrain edge	// Laminate \ Techwood edge
Dividends Horizon Rectangular	For 24"d C-Leg Base	48"	46"	24"	23"	1 1/4"	LVTDR4623N	I \$367	\$405.	\$662.
C-Leg Tops, 24" deep	For 24"d C-Leg Base	54"	52"	24"	23"	1 1/4"	LVTDR5223N	<u> </u>	\$439.	\$698.
0 20g 10p0, 2 1 000p	For 24"d C-Leg Base	60"	58"	24"	23"	1 1/4"	LVTDR5823N	<u> </u>	\$473.	\$731.
	For 24"d C-Leg Base	66"	64"	24"	23"	1 1/4"	LVTDR6423N		\$511.	\$762.
	For 24"d C-Leg Base	72"	70"	24"	23"	1 1/4"	LVTDR7023N		\$536.	\$797.
	For 24"d C-Leg Base	78"	76"	24"	23"	1 1/4"	LVTDR7623N		\$572.	\$835.
	For 24"d C-Leg Base	84"	82"	24"	23"	1 1/4"	LVTDR8223N	\$553.	\$606	\$866.
Dividends Horizon Rectangular	For 30"d C-Leg Base	48"	46"	30"	29"	1 1/4"	LVTDR4629N	I \$434.	\$473.	<b>\$728</b> .
C-Leg Tops, 30" deep	For 30"d C-Leg Base	54"	52"	30"	29"	1 1/4"	LVTDR5229N	I \$491.	\$537.	\$761.
	For 30"d C-Leg Base	60"	58"	30"	29"	1 1/4"	LVTDR5829N	I \$540.	\$595.	\$794.
	For 30"d C-Leg Base	66"	64"	30"	29"	1 1/4"	LVTDR6429N	I \$600.	\$660.	\$825.
<i>/</i> >	For 30"d C-Leg Base	72"	70"	30"	29"	1 1/4"	LVTDR7029N	I \$623.	\$681.	\$854.
	For 30"d C-Leg Base	78"	76"	30"	29"	1 1/4"	LVTDR7629N	l \$664.	\$737.	\$896.
	For 30"d C-Leg Base	84"	82"	30"	29"	1 1/4"	LVTDR8229N	I ¢710	\$794.	\$924.

Order Code		Specification Information	Application Notes	Options
Example LVT D R 46 23 N L 117	LVTDR4623N, L, 117, 117 Lev by Knoll Top Dividends Horizon Style Rectangular Top Width Depth No Grommet Laminate Soft Grey Laminate Soft Grey Edge	Dividends Horizon Tops  To order, specify: 1. Pattern number 2. Top finish 3. Edge finish (laminate and mixed tops only)	Dividends Horizon Tops  Worksurfaces are pre-drilled with pilot holes for use with wood screws.  Actual worksurfaces are undersized by 1" on th back side and 1" on each side edge.  Note: * Nominal Width and Depth	Add an (L) for laminate, (V) for veneer suffix to

# Dividends Horizon Worksurfaces Rectangular Radiused Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	w*	width	d*	depth	thickness	pattern number	Laminate w ABS edge	Laminate v woodgrain edge	w/Laminate Techwood edge
Dividends Horizon Rectangular	For 24"d C-Leg Base	48"	46"	24"	23"	1 1/4"	LVTDRC4623N	\$447.	\$496.	\$808.
Radiused C-Leg Tops, 24" deep	For 24"d C-Leg Base	54"	52"	24"	23"	1 1/4"	LVTDRC5223N	\$488.	\$536.	\$852.
	For 24"d C-Leg Base	60"	58"	24"	23"	1 1/4"	LVTDRC5823N	\$529.	\$580.	\$895.
	For 24"d C-Leg Base		64"	24"	23"	1 1/4"	LVTDRC6423N	\$567.	\$624.	\$933.
	For 24"d C-Leg Base	72"	70"	24"	23"	1 1/4"	LVTDRC7023N	\$592.	\$655.	\$972.
	For 24"d C-Leg Base	78"	76"	24"	23"	1 1/4"	LVTDRC7623N	\$638.	\$698.	\$1,018.
	For 24"d C-Leg Base	84"	82"	24"	23"	1 1/4"	LVTDRC8223N	\$674.	\$740.	\$1,058.
Dividende Herizon Destangular	For 2011d C. Loss Doors	40"	46"	20"	20"	4.4/4"	LVTDDC4620N	<b>¢</b> 520	<b>\$</b> 500	<b>\$200</b>
Dividends Horizon Rectangular Radiused C-Leg Tops, 30" deep	For 30"d C-Leg Base	48"	52"	30" 30"	29" 29"	1 1/4"	LVTDRC4629N	\$529.	\$580.	\$890.
Radiused C-Leg Tops, 30 deep	For 30"d C-Leg Base			30"	29"	1 1/4"	LVTDRC5229N	\$598.	\$657.	\$928.
	For 30"d C-Leg Base		58"			1 1/4"	LVTDRC5829N	\$658.	\$726.	\$968.
	For 30"d C-Leg Base		64"	30"	29"	1 1/4"	LVTDRC6429N	\$731.	\$805.	\$1,007.
	For 30"d C-Leg Base		70"	30"	29"	1 1/4"	LVTDRC7029N	\$761.	\$833.	\$1,043.
	For 30"d C-Leg Base	78"	76"	30"	29"	1 1/4"	LVTDRC7629N	\$810.	\$900.	\$1,093.
	For 30"d C-Leg Base	84"	82"	30"	29"	1 1/4"	LVTDRC8229N	\$879.	\$971.	\$1,128.

Order Code S	Specification Information	Application Notes	Options
LVT         Lev by Knoll Top         Top           D         Dividends Horizon Style         1.           RC         Rectangular RadiusedTop         2.	To order, specify:    . Pattern number  . Top finish  . Edge finish (laminate and mixed tops only)	Dividends Horizon Tops  Worksurfaces are pre-drilled with pilot holes for use with wood screws.  Actual worksurfaces are undersized by 1" on the back side and 1" on each side edge.  Note: * Nominal Width and Depth	Dividends Horizon Tops  Top Finish Options:  Add an (L) for laminate, (V) for veneer suffix to pattern number.

# Postform Worksurfaces Rectangular Tops for C-Leg Bases 24" and 30" Deep Tops

description	type	w*	width	d*	depth	thickness	pattern number	laminate (L)
Postform Rectangular C-Leg Tops,	For 24"d C-Leg Base	48"	46"	24"	23"	1 1/4"	LVTMR4623	\$524.
24" deep	For 24"d C-Leg Base		52"	24"	23"	1 1/4"	LVTMR5223	\$576.
^	For 24"d C-Leg Base	60"	58"	24"	23"	1 1/4"	LVTMR5823	\$622.
	For 24"d C-Leg Base		64"	24"	23"	1 1/4"	LVTMR6423	\$672.
	For 24"d C-Leg Base		70"	24"	23"	1 1/4"	LVTMR7023	\$719.
	For 24"d C-Leg Base		76"	24"	23"	1 1/4"	LVTMR7623	•
	For 24"d C-Leg Base	84"	82"	24"	23"	1 1/4"	LVTMR8223	\$817.
Postform Rectangular C-Leg Tops,	For 30"d C-Leg Base	48"	46"	30"	29"	1 1/4"	LVTMR4629	\$599.
30" deep	For 30"d C-Leg Base		52"	30"	29"	1 1/4"	LVTMR5229	\$644.
	For 30"d C-Leg Base	60"	58"	30"	29"	1 1/4"	LVTMR5829	\$693.
	For 30"d C-Leg Base	66"	64"	30"	29"	1 1/4"	LVTMR6429	\$741.
	For 30"d C-Leg Base	72"	70"	30"	29"	1 1/4"	LVTMR7029	\$812.
	For 30"d C-Leg Base	78"	76"	30"	29"	1 1/4"	LVTMR7629	\$863.
		84"	82"	30"	29"	1 1/4"	LVTMR8229	\$912.

Order Code		Specification Information	Application Notes	Options	
Example LVT M R 46 23 117	LVTMR4623, 117, 117 Lev by Knoll Top Postform Style Rectangular Top Width Depth Soft Grey Laminate Soft Grey Edge	Postform Tops To order, specify: 1. Pattern number 2. Top finish	Postform Tops  Worksurfaces are pre-drilled with puse with wood screws.  Actual worksurfaces are undersize back side and 1" on each side edg  Note: * Nominal Width and Depth	oilot holes for ad by 1" on the le.	

# AutoStrada Worksurfaces Rectangular Tops for C-Leg Tables 24" and 30" Deep Tops

description	type	w*	width	depth	thickness	pattern number	laminate	(L <b>j</b> M	V1	V2	V3
AutoStrada Rectangular Tops C-Leg	for 24"d C-Leg Base	48"	46"	23"	1 1/4"	LVTAR4623	\$652.	\$850.	\$929.	\$982.	\$1,278.
Tops, 24" deep	for 24"d C-Leg Base	54"	52"	23"	1 1/4"	LVTAR5223	\$659.	\$905.	\$994.	\$1,052.	\$1,369.
	for 24"d C-Leg Base	60"	58"	23"	1 1/4"	LVTAR5823	\$692.	\$969.	\$1,063.	\$1,124.	\$1,460.
	for 24"d C-Leg Base	66"	64"	23"	1 1/4"	LVTAR6423	\$748.	\$1,006.	\$1,103.	\$1,159.	\$1,511.
	for 24"d C-Leg Base	72"	70"	23"	1 1/4"	LVTAR7023	\$770.	\$1,047.	\$1,149.	\$1,216.	\$1,583.
	for 24"d C-Leg Base	78"	76"	23"	1 1/4"	LVTAR7623	\$793.	\$1,095.	\$1,201.	\$1,278.	\$1,659.
	for 24"d C-Leg Base	84"	82"	23"	1 1/4"	LVTAR8223	\$827.	\$1,144.	\$1,253.	\$1,322.	\$1,722.
AutoStrada Rectangular Tops C-Leg	for 30"d C-Leg Base	48"	46"	29"	1 1/4"	LVTAR4629	\$667.	\$955.	\$1,046.	\$1,112.	\$1,448.
Tops, 30" deep	for 30"d C-Leg Base	54"	52"	29"	1 1/4"	LVTAR5229	\$686.	\$1,033.	\$1,132.	\$1,199.	\$1,558.
^	for 30"d C-Leg Base	60"	58"	29"	1 1/4"	LVTAR5829	\$729.	\$1,071.	\$1,174.	\$1,241.	\$1,613.
	for 30"d C-Leg Base	66"	64"	29"	1 1/4"	LVTAR6429	\$784.	\$1,093.	\$1,201.	\$1,270.	\$1,652.
/ /	for 30"d C-Leg Base	72"	70"	29"	1 1/4"	LVTAR7029	\$810.	\$1,122.	\$1,233.	\$1,304.	\$1,694.
	for 30"d C-Leg Base	78"	76"	29"	1 1/4"	LVTAR7629	\$838.	\$1,173.	\$1,288.	\$1,367.	\$1,773.
	for 30"d C-Leg Base	84"	82"	29"	1 1/4"	LVTAR8229	\$879.	\$1,213.	\$1,333.	\$1,411.	\$1,831.

Order Code	Specification Information	Application Notes	Options
Example LVTAR4623, L, 117, 117 LVT Lev by Knoll Top A AutoStrada Style R Rectangular Top 46 Width 23 Depth L Laminate 117 Soft Grey Laminate 117 Soft Grey Edge	AutoStrada Tops  To order, specify: 1. Pattern number 2. Top finish 3. Edge finish (laminate and mixed tops only)	AutoStrada Tops  Worksurfaces are pre-drilled with pilot holes for use with wood screws.  Actual worksurfaces are undersized by 1" on the back side and 1" on each side edge.  Note: * Nominal Width and Depth	AutoStrada Tops  Top Finish Options:  Add an (L) for laminate, (V) for veneer suffix, or (M) for mixed (laminate with wood edge) suffix to pattern number.

# Alpha-Numeric Index

LVACBK 8	LVTMR7029
LVAGCD 8	LVTMR7623
LVBCEN24GD 4	LVTMR7629
LVBCEN24GS 4	LVTMR8223
LVBCEN30GD 5	LVTMR8229
LVBCEN30GS 4	LVTRR4623N
LVBCEXN24GD 6	LVTRR4629N
LVBCEXN24GS6	LVTRR5223N
LVBCEXN30GD7	LVTRR5229N
LVBCEXN30GS 6	LVTRR5823N
LVTAR4623	LVTRR5829N
LVTAR4629	LVTRR6423N
LVTAR5223	LVTRR6429N
LVTAR5229	LVTRR7023N
LVTAR5823	LVTRR7029N
LVTAR5829	LVTRR7623N
LVTAR6423	LVTRR7629N
LVTAR6429	LVTRR8223N
LVTAR7023	LVTRR8229N
LVTAR7029	LVTRRC4623N
LVTAR7623	LVTRRC4629N
LVTAR7629	LVTRRC5223N
LVTAR8223	LVTRRC5229N
LVTAR8229	LVTRRC5823N
LVTDR4629N	LVTRRC6423N
LVTDR5223N	LVTRRC6429N
LVTDR5229N	LVTRRC7023N
LVTDR5823N	LVTRRC7029N
LVTDR5829N	LVTRRC7623N
LVTDR6423N	LVTRRC7629N
LVTDR6429N	LVTRRC8223N
LVTDR7023N	LVTRRC8229N
LVTDR7029N	LVTYR4524 9
LVTDR7623N	LVTYR4530
LVTDR8223N	LVTYR5124
LVTDR8229N	LVTYR5130
LVTDRC4623N	LVTYR5730
LVTDRC4629N	LVTYR6324
LVTDRC5223N	LVTYR6330
LVTDRC5229N	LVTYR6924 9
LVTDRC5823N	LVTYR6930 9
LVTDRC5829N	LVTYR7524 9
LVTDRC6423N	LVTYR7530 9
LVTDRC6429N	LVTYR8124 9
LVTDRC7023N	LVTYR8130 9
LVTDRC7029N	LVTYRC4524
LVTDRC7623N	LVTYRC4530
LVTDRC7629N	LVTYRC5124
LVTDRC8229N	LVTYRC5730
LVTMR4623	LVTYRC5730
LVTMR4629	LVTYRC6324
LVTMR5223	LVTYRC6330
LVTMR5229	LVTYRC6924
LVTMR5823	LVTYRC6930
LVTMR5829	LVTYRC7524
LVTMR6423	LVTYRC7530
LVTMR6429	LVTYRC8124
LVTMR7023	LVTYRC8130

This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.

# Terms & Conditions of Sales

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

# Ordering Information Order Confirmation Pricing Policies

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.

A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

**Taxes** 

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

#### Terms of Payment

Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

# Changes and Cancellation

Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuikShip policy supersedes.

# Freight Prepaid

For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.

Freight for all Muuto orders must be specified at time of order placement and added to the PO.

# **Delivery/Freight Charges**

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.

Partial shipments may be made and invoiced by Seller.

Claims

# All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation

October 1,2022

# Selling Policy

Seller's Security Interest Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filling of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

# Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

#### Customer's Own Material

A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

## **Delay/Force Majeure**

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.

## Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES. REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.

The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
- · Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- · Any settlements of a suit or proceeding made without Seller's written consent.

## Limitations of Liability

SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

Warranty please visit warranty website link https://www.knoll.com/help/warranty for up-to-date information.

# General Ordering Information

## The Products

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

# **Pricing**

All prices shown are list.

# **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

# Mail all orders to:

Knoll, Inc. 1235 Water Street P.O. Box 157

East Greenville, PA 18041 Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

# Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED<sup>TM</sup> certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."